

4

3

2

1

PART No. PR-111W5-A14

Please Approve this Drawing	
Date	
Signature	

REVISIONS				
LTR	DESCRIPTION	DATE	APPROVED	NOTE
A0	INITIAL RELEASE	10/28/99'		
△				
△				
△				

Technical drawing of a probe receptacle. The drawing shows a cylindrical component with a central hole. Key dimensions include diameters of $\phi 1.06 \pm 0.01$, $\phi 1.44 \pm 0.02$, $\phi 1.31 \pm 0.01$, $\phi 1.22 \pm 0.02$, and $\phi 1.00$. Length dimensions are 7.50 ± 0.10 , 0.40 , (19.00) , (22.00) , $25.00^{+0.00}_{-0.30}$, 29.50 ± 0.20 , and 5.00 . A feature labeled "Detent A" is shown on the right side of the component.

NOTES:

- MATERIALS:
RECEPTACLE : BRASS
- PLATING:
RECEPTACLE : BRASS Ni/Au
OVER SUBSTRATE PLATED 80~120 μ " Nickel
. 2 μ " Au PLATED.
- DETENT A, THE INSERT FORCE IS 0.9~1.3Kg.

DRAWN	SCALE: 5/ 1	中國探針股份有限公司 C.C.P. CONTACT PROBES CO.,LTD.	
CHECKED	SHEET: 1 OF 1	TITLE. P-111 RECEPTACLE	
APPROVED	DATE: 02/26/20'	SIZE A4	DRAWING NO. R-111WT
<small>DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X. ± .20 ± 2.0° X.X ± .10 ± 1.0° X.XX ± .05 ± 0.5°</small>		<small>THE INFORMATION AND DESIGN DISCLOSED HEREIN WAS ORIGINATED BY AND IS THE PROPERTY OF C.C.P. CONTACT PROBES CO.,LTD. C.C.P. CONTACT PROBES CO.,LTD. RESERVES ALL PATENT, PROPRIETARY DESIGN, MANUFACTURING, REPRODUCTION, USE AND SALES RIGHTS THEREOF, AND TO ANY ARTICLE DISCLOSED HEREIN EXCEPT TO THE EXTENT RIGHTS ARE EXPRESSLY GRANTED TO OTHERS. THE FOREGOING DOES NOT APPLY TO VENDOR PROPRIETARY RIGHTS.</small>	
FILE PATH:		REV. A3	