


# High Speed Cable

Internal Cable  
External Cable



C.C.P. CONTACT PROBES

C.C.P. Contact Probes Co., Ltd. is a leading global manufacturer of Contact Probes, Pogo Pins, Testprobes, Springloaded Connectors, and Crown Spring Connectors.

# ABOUT US

## Introduction

In 1986 we began as a specialized provider of test probes and socket auxiliary solutions and slowly expanded our product portfolio in related industries such as electronic components manufacturing. Among our customers are renowned brands like Apple and Amazon and our products are revered by our customers for their exceptional reliability and superior quality.

Our research and development teams are continuously improving our existing products and bringing new innovations to the market to meet the growing demands of our clients. Since 2001 CCP Contact Probes has been a public traded company listed on the Taiwan Stock Exchange. Today CCP has subsidiaries in the United States, China, Germany, India, Japan and Singapore, meeting the needs of our customers around the world.

## Selected Customers


FOXCONN

Google



ADVANTEST

## Locations



# INTERNAL CABLE

## SlimSAS 4X



- Meet SFF 8654
- Wire size 32AWG 30AWG 28AWG
- Meet SAS3.0 4.0 PCIe4.0 spec
- Maximum length available up to 1m
- Impedance 100 ohm and 85 ohm

## SlimSAS 8X



- Meet SFF 8654
- Wire size 32AWG 30AWG 28AWG
- Meet SAS3.0 4.0 PCIe4.0 spec
- Maximum length available up to 1m
- Impedance 100 ohm and 85 ohm

## SlimSAS Low Profile 4X



- Meet SFF 8654
- Wire size 32AWG 30AWG 28AWG
- Meet SAS3.0 4.0 PCIe4.0 spec
- Maximum length available up to 1m
- Impedance 100 ohm and 85 ohm

## SlimSAS Low Profile 8X



- Meet SFF 8654
- Wire size 32AWG 30AWG 28AWG
- Meet SAS3.0 4.0 PCIe4.0 spec
- Maximum length available up to 1m
- Impedance 100 ohm and 85 ohm

## SlimSAS 8X to 2\*4x



- Meet SFF 8654
- Wire size 32AWG 30AWG 28AWG
- Meet SAS3.0 4.0 PCIe4.0 spec
- Maximum length available up to 1m
- Impedance 100 ohm and 85 ohm

## Gen Z 1C



- SFF-TA-1002
- Wire size 32AWG 30AWG 28AWG
- Meet SAS3.0 4.0 PCIe5.0 spec
- Maximum length available up to 1m
- Impedance 100 ohm and 85 ohm

## Mini Cool Edge (MCIO) 8X



- Meet SFF-TA-1016
- Wire size 32AWG 30AWG 28AWG
- Meet SAS3.0 4.0 PCIe5.0 spec
- Maximum length available up to 1m
- Impedance 100 ohm and 85 ohm

# EXTERNAL CABLE

## SFP + 10Gbps



- Meet SFF 8431 and 8432
- Wire size from 30AWG to 24AWG
- Meet IEEE 802.3 ba
- Maximum length available up to 5m
- Impedance 100

## QSFP + 40Gbps



- Meet SFF 8436 and 8665
- Wire size from 30AWG to 24AWG
- Meet IEEE 802.3 ba
- Maximum length available up to 5m
- Impedance 100

## SFP + 14Gbps



- Meet SFF 8431 and 8432
- Wire size from 30AWG to 24AWG
- Meet IEEE 802.3 ba
- Maximum length available up to 5m
- Impedance 100

## QSFP + 56Gbps



- Meet SFF 8436 and 8665
- Wire size from 30AWG to 24AWG
- Meet IEEE 802.3 ba
- Maximum length available up to 5m
- Impedance 100

## SFP + 25Gbps



- Meet SFF 8431 and 8432
- Wire size from 30AWG to 24AWG
- Meet IEEE 802.3 ba
- Maximum length available up to 5m
- Impedance 100

## QSFP + 100Gbps




- Meet SFF 8436 and 8665
- Wire size from 30AWG to 24AWG
- Meet IEEE 802.3 ba
- Maximum length available up to 5m
- Impedance 100

## QSFP DD 200Gbps



- Meet SFF QSFP DD
- Wire size from 30AWG to 28AWG
- Meet IEEE 802.3 bs
- Maximum length available up to 2.5m
- Impedance 100

## QSFP DD 400Gbps



- Meet SFF QSFP DD
- Wire size from 30AWG to 28AWG
- Meet IEEE 802.3 bs
- Maximum length available up to 2.5m
- Impedance 100

# EXTERNAL CABLE

## MINISAS HD 12Gbps



- Meet SFF 8644
- Wire size from 30AWG to 26AWG
- Meet SAS 3.0
- Maximum length available up to 3m
- Impedance 100



## MINISAS HD 24Gbps



- Meet SFF 8644
- Wire size from 30AWG to 26AWG
- Meet SAS 4.0 and SAS 3.0
- Maximum length available up to 3m
- Impedance 100



C.C.P. CONTACT PROBES



**Dongguan**  
+86-769-85151668

**Beijing**  
+86-10-53856584

**Shenzhen**  
+86-755-82794229

**San Jose**  
+1-408-3341981

**Chengdu**  
+86-28-87440813

**Frankfurt**  
+49 171 3669549

**Chongqing**  
+86-158-23468769

**Singapore**  
+65-81391296

**Kunshan**  
+86-512-57378981

**Taipei HQ**  
+886-2-29612525

**Bangalore**  
+91-7619689680

**Wuhab**  
+86-139-73919421

**Kaohsiung**  
+886-7-3601161

**Tokyo**  
+81-5295-7590

**Hong Kong**  
+852-23014671

**Zhubei**  
+886-3-5506368

**Seoul**  
+070-7543-2531

**Hanoi**  
+843-8805-1121

[www.ccpcontactprobes.com](http://www.ccpcontactprobes.com)  
[ccp\\_service@pccp.com.tw](mailto:ccp_service@pccp.com.tw)